



NRAQ.E75310 Programmable Controllers

[Page Bottom](#)

Programmable Controllers

[See General Information for Programmable Controllers](#)

SIEMENS

E75310

1 INTERNET PLAZA
JOHNSON CITY, TN 37604 USA

6MT channel controller, Model 505-5190.

Adaptor chassis, Models 500-5840, -9940.

Advanced technology modules, Models 505-ATM-0220, -0440, -4120.

Analog modules, Models 505-6108A, -6108B, -6208A, -6208B, -7012, -7012A, -7016; Model 6ES7 138-4DF00-0AB0, 6ES7 138-4DF10-0AB0, 6ES7 331-7PF01-0AB0, 6ES7 332-7ND02-0AB0, 6ES7 331-7PF11-0AB0 .

AS interfaces, Type 3RK1 or 3RK2, followed by 1, 2 or 4, followed by 0, followed by 0, 1, 2, 5, 7 or 8, followed by -0, -1, -2, -3 or -8, followed by A thru N, followed by A thru U, may be followed by suffix letters and/or numbers; Type 3RK1901 followed by -0C, -1G, -2D, -2E, -3A, -3B, -3C, -3D, -3E, -3F or -3G, may be followed by suffix letters and/or numbers; Model 3RG 0914-0AA0 output module.

Base expansion unit, 505-6800.

Central processing units, 525-1102, -1104, -1208, 525-D212, 560-2820, 560T-2128.

Comau systems: ADM (Analog Digital Module), CHASU-N (Robot Controller), CRTA, HSIO, IOM, MA (Memory Index), PLC, PWR1, RBC, RBC2 , RCPU, RCPU-N, RSC, RWR3, SAAL, SCC, SCC2 , SCPU, SCPU-N, SIM, 10123060, 10123160, 10123260, 10123360.

Communications adapter modules, Models 500-5100, -7101, -7102, -7103, -7104, -7111, -7112, -7113, -7114, -7201, -7202, -7203, -7204, -7301, -7302, -7303, -7304, 505-7111, -7112, -7113, -7114.

Communication processor, Model 505-CP5434-FMS.

Communication processor modules, Models 505-CP1434TCP, 5136-DNS-200S.

CPU modules, Models 545-1101, -1102, -1103, -1104, -1105, -1106 , CPU, 555-1101, -1102, -1103, -1104, -1105, -1106 .

Data exchange unit, Model PFS-3630.

Discrete input modules, Models 505-4317, -4318, -4319.

Distributed base controller, Model 505-6840.

Distributed I/O controller, Model 500-2103.

Enclosed programmable controllers, consisting of Cat. Nos. 6ES7-141-1BD30, 6ES7-141-1BF30, 6ES7-142-1BD40, denotes any number or digit; Models DNH200X4DO, DNH200X8DI.

Engineering workstation, Model PCS100.

Expansion modules, input modules, Models 6ES7 321-1FH00-0AA0, 6ES7 322-1FH00-0AA0.

Interface module, Model 505-7190.

I/O channel controllers, Models 500-2101, -2108, -2109, 505-5184, -6511, -6830, -7002, -7003, -7339, -7340, 520C-1101, -1102, 530C-1104, -1108, -1112.

I/O modules, Models 500-2161, -5001, -5002, -5005, -5006, -5007, -5008, -5009, -5010, -5011, -5012, -5013, -5016, -5018, -5019, -5020, -5021, -5022, -5023, -5024, -5026, -5027, -5028, -5029, -5030, -5031, -5032, -5033, -5035, -5037A, -5038, -5039, -5040, -5047A, -5048, -5049, -5050, -5051, -5052, -5053, -5054, -5055, -5056, -5061, -5062, -5192.

I/O modules: Enclosed programmable controllers, consisting of Cat. Nos. 5136-DNS-200X, 5136-DNS-200X-4DO, 5136-DNS-200X-8DI.

Keyboards, Models 2493295-0002, -0003, CVU3604, PFS3604.

Local I/O expansion controller, Model 500-2102.

MAP NIM modules, Models 505-7359, 505-CP1434TF.

MSDOS processor module, Model 500-5186.

Module I/O bases, Models 500-5828, -5848, -5864, -5884.

Monitor, Model CVU.

Motor drive interface module, Model 505-7201, -7202.

Network interface modules, Models 5TI-5339, -5340.

Open type programmable controllers, LOGO! Cat. No. 6EDI 055 followed by -1CB00-...., or -1FB00-...., or -1MB00-...., or -1MA00-...., -1CB00-...., or -1FB00-...., or -1MB00-...., or -1MA00-.... ; Cat. No. 6ED1053 followed by -1CA00-.... or -1CG00-.... or -1FA00-.... or -1FB00-.... or -1FG00-....or -1HA00-.... or -1HG00-....; LOGO! Cat. No. 6ED1052 followed by -1BB00-...., -1HB00-...., -1CA00-...., or -1FA00-...., or -1FB00-...., or 1HA00-...., -2FB00-...., -2HB00-...., -1CC00-...., 2CC00-....or-1MD00-...., -2MD00-.... -.....

Peerlink modules, Models 505-7101 Basic, -7354, 505RTU.

PLC modules, Models 505-2555, -2556, -2557, -2571, -2580, -2590, 505-CP2572.

Power supplies, Models 505-6660A, -6663, 560-2123.

Programmable control systems, Series 575 systems: Control unit chassis, Models 575-2124, -2128, -2130; CPU modules, Models 575-2102, -2103, -2104, -2105, -2106; input modules, Models 575-4232, -4332; I/O modules, Models annex card 505-CP5434DP, 575-2126, -4366; output modules, Models 575-4616, -4532, -4732; power supplies, Models 575-6660, -6663; relay module, Model 575-4916.

Models PCS-4105, -4105A Supervisory and Operator Nodes; Models PCS-4520, -4521 Supervisory Nodes; Models PCS-4512, -4512A, -4512B; Models PCS-4522, -4522A, -4522B, -4522C, -4522D Engineering Nodes; Models PCS-4513, -4513A, -4513B, -4523, -4523A, -4523B Remote Terminals; Models PCS-4515, -4515A, -4515B, -4515C, -4515D, -4515E, -4515F, -4515G, -4525, may be followed by a letter to designate software configuration Supervisory and Operator Nodes.

Programmable controllers, Power output module, Model 6AT 1120-0BA00-0AB0.

Programmable controllers, Auxiliary fuse module, Model 6AT 1120-0EA00-0AA0.

Programmable controllers, Models 5TI-1031-1, -1032-1, -1034-2, 520-1101, 530-1102, -1104, -1108, 560/565.

Programmable controllers: 400 Series digital I/O modules, Models 6ES7 -421-5EH00-0AA0, -422-5EF00-0AB0, -431-7KF10-0AB0.

Programmable controller operator interfaces, Cat. Nos. DDM500-4005, LAM500-4010, RAM500-4015.

Programming unit, Model HT/1050-1099.

Redundant module, Part No. 500-5041.

Remote base controllers, Models 500-6850, 505-6850A, -6851, -6851A, -6870, DPRBC.

Remote power supplies, Models 500-2151A, -2153.

Robot CPU module, 575-2102.

RS485 converter module, Model 505-6860.

RTD input module, Model 505-7038.

RTD modules, Models 6ES7 331-7NF10-0AB0, 6ES7 331-7PF00-0AB0, 6 ES7 331-7PF10-0AB0.

S7 200 Series open type programmable controller, 6ES7 followed by 210-0BA00-, 210-8XX00-, 210-0CA0-, 210-0AA00-, 212-1AA01-, 212-1CA01-, 212-1DA01-, 212-1BA10-, 212-1BA01-, 212-1FA01-, 212-1GA01-, 214-1BC10-, 214-1CC01-, 214-1DC01-, 214-1AC01-, 214-1BC01-, 214-1GC01-, 215-2AD00-, 215-2BD00-, 216-2AD00-, 216-2BD00-, 221-1JF00-, 221-1BF00-, 221-1EF00-, 221-1BF10-, 222-1HF00-, 222-1EF00-, 222-1BF00-, 223-1EF00-, 223-1HF00-, 223-1BH00-, 223-1BL00-, 223-1PH00-, 223-1PL00-, 223-1BF00-, 231-0HC00-, 232-0HB00-, 232-0HD00-, 235-0KD00-, 274-1XF00-, 274-1XH00-, 290-6BC50-, 291-8BA00-, 291-8GC00-, 291-8GD00-, 901-3BF00-, 211-0AA20-, 211-0AA21-, 211-0AA22-, 211-0BA20-, 211-0BA21-, 211-0BA22-, 212-1AB20-, 212-1AB21-, 212-1AB22-, 212-1BB20-, 212-1BB21-, 212-1BB22-, 214-1AD20-, 214-1AD21-, 214-1AD22-, 214-1AD23-, 214-2AD23-, 214-1BD20-, 214-1BD21-, 214-1BD22-, 214-1BD23-, 214-2BD23-, 216-2AD21-, 216-2AD22-, 216-2AD23-, 216-2AF21-, 216-2AF22-, 216-2BD21-, 216-2BD22-, 216-2BD23-, 216-2BF21-, 216-2BF22-, 216-2HF22-, 221-1BF20-, 221-1BF21-, 221-1BF22-, 221-1BH22-, 221-1EF22-, 222-1BD22-, 222-1BF20-, 222-1BF21-, 222-1BF22-, 222-1EF22-, 222-1HD22-, 222-1HF20-, 222-1HF21-, 222-1HF22-, 223-1BF20-, 223-1BF21-, 223-1BF22-, 223-1BH20-, 223-1BH21-, 223-1BH22-, 223-1BL20-, 223-1BL21-, 223-1BL22-, 223-1BM22-, 223-1HF20-, 223-1HF21-, 223-1HF22-, 223-1PH20-, 223-1PH21-, 223-1PH22-, 223-1PL20-, 223-1PL21-, 223-1PL22-, 223-1PM22-, 231-7PB22-, 231-0HC20-, 231-0HC21-, 231-0HC22-, 231-7PB20-, 231-7PB21-, 231-7PB22-, 231-7PD20-, 231-7PD21-, 231-7PD22-, 232-0HB20-, 232-0HB21-, 232-0HB22-, 235-0KD20-, 235-0KD21-, 235-0KD22-, 241-1AA22-, 253-1AA22-, 277-0AA20-, 277-0AA21-, 277-0AA22-, 290-6AA20-, 291-8BA20-, 291-8GE20-, 297-1AA20-, 901-3BF20-, 901-3BF21-, 901-3CB30-, 901-3BF30-, 901-3DB30-, 231-0HF22-, 231-7PC22-, 231-7PF22-, 232-0HD22- may be followed by additional suffix letters and/or numbers; Model 6NH9 701-OAD.

Models 6ES7 211-0AA23-0XB0, 6ES7 211-0BA23-0XB0, 6ES7 212-1AB23-0XB0, 6ES7 212-1BB23-0XB0, 6ES7 214-2AS23-0XB0.

Series 6ES7 programmable controllers: Input modules, Models 6ES7-321-1FF10-0AA0, 6ES7-322-5FF00-0AB0, 6ES7-322-

5HF00-0AB0.

Models 6ES7 322-1CF00-0AA0, 6ES7 321-1CH-0AA0, 6ES7 321-CH20-0AA0.

Series 6ES7 open type programmable controllers: CPU, I/O, Power Supply , 6ES7 214-1AE30-0XB0, 6ES7 214-1BE30-0XB0, 6ES7 214-1HE30-0XB0, 6ES7 211-1AD30-0XB0, 6ES7 212-1AD30-0XB0, 6ES7 211-1BD30-0XB0, 6ES7 211-1BD30-0XB0, 6ES7 211-1HD30-0XB0, 6ES7 212-1HD30-0XB0.

Expansion Modules, 6ES7 221-1BF30-0XB0, 6ES7 221-1BH30-0XB0, 6ES7 222-1BH30-0XB0, 6ES7 223-1PH30-0XB0, 6ES7 223-0BD30-0XB0, 6ES7 223-1BH30-0XB0, 6ES7 234-4HE30-0XB0, 6ES7 232-4HB30-0XB0, 6ES7 222-1BF30-0XB0, 6ES7 222-1HF30-0XB0, 6ES7 222-1HH30-0XB0, 6ES7 231-4HD30-0XB0, 6ES7 241-1CH30-0XB0, 6ES7 241-1AH30-0XB0, 6ES7 232-4HA30-0XB0, 6ES7 223-1BL30-0XB0, 6ES7 223-1PL30-0XB0, 6ES7 221-3AD30-0XB0, 6ES7 221-3BD30-0XB0, 6ES7 222-1AD30-0XB0, 6ES7 222-1BD30-0XB0, 6ES7 223-3AD30-0XB0, 6ES7 223-3BD30-0XB0, 6ES7 231-4HF30-0XB0, 6ES7 232-4HD30-0XB0, 6ES7 231-5PD30-0XB0, 6ES7 231-5QD30-0XB0, 6ES7 241-1CH30-1XB0.

Low voltage accessory modules, 6ES7 274-1XF30-0XA0, 6ES7 274-1XH30-0XA0, 6ES7 290-6AA30-0XA0.

Smart slice I/O modules, Models 505-9201, -9202.

Programmable controllers, Models 6ES7 297-1AA23-0XA0, 6ES7 291-8GF23-0XA0, 6ES7 291-8GH23-0XA0.

Tape and eprom programmer, Series 500, Model 500-3103, Module EPTL.

Thermocouple modules, Models 6ES7-431-7KF00-0AB0, 505-7028.

TISTAR engineering station, Model 20.

TISTAR operator station, Model 20.

Turbo CPU modules, Models 535-1204, -1212, -1224.

Turbomold modules, Models 505-5100, -5101, -5102, -5103, -5106.

Video programming units used with programmable controllers, Models Micro CCM, OCM-II, OLM-II, P/N 08-S16019-2, VPU-100, -200, -200-3101, -200-3102, -200-3103, -200-3104, -210-3104, -210-3105, -210 Combo, -500.

[Last Updated](#) on 2010-04-23

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2010 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"